

**Claims:**

1. An accessory adapted for use with a hair dryer comprising a body defining a passageway with at least first and second openings, a connector for connecting  
5 said accessory to said hair dryer and at least one retainer adapted to retain a substrate in said passageway.

10 2. An accessory according to Claim 1 wherein each of said first and second openings is at a respective longitudinal end of said body.

15 3. An accessory according to Claim 1 wherein said connector is arranged at or adjacent to said first opening of said body.

20 4. An accessory according to Claim 1 wherein said retainer is arranged at or adjacent to said second opening of said body.

5. An accessory according to Claim 1 wherein said body is connectable to a front end of said hair dryer.

6. An accessory according to Claim 5 wherein said body is adapted to be removably connectable to said hair dryer by clipping, snapping or screw-fitting.

5 7. An accessory according to Claim 1 wherein said substrate is made of a material selected from a group including ceramics and sponge.

10 8. An accessory according to Claim 1 wherein said substrate is adapted to withstand a temperature of at least 45°C.

9. An accessory according to Claim 1 wherein said substrate is adapted to receive a scented medium.

15 10. An accessory according to Claim 1 comprising said substrate.

11. An accessory according to Claim 9 wherein said scented medium is evaporable at an elevated temperature.

20

12. An accessory according to Claim 9 wherein said scented medium is an aromatic oil.

13. A hair dryer comprising an accessory as claimed in any one of Claims 1 to 12.

14. A hair dryer assembly comprising a hair dryer and an accessory adapted for use therewith, wherein said accessory comprises a body defining a passageway with at least first and second openings, a connector for connecting said accessory to said hair dryer and at least one retainer adapted to retain a substrate in said passageway.

15. A hair dryer assembly according to Claim 14 wherein each of said first and second openings is at a respective longitudinal end of said body.

16. A hair dryer assembly according to Claim 14 wherein said connector is arranged at or adjacent to said first opening of said body.

17. A hair dryer assembly according to Claim 14 wherein said retainer is arranged at or adjacent to said second opening of said body.

18. A hair dryer assembly according to Claim 14 wherein said body is connectable to a front end of said hair dryer.

19. A hair dryer assembly according to Claim 18 wherein said  
5 body of said accessory is removably connectable to said hair dryer by clipping, snapping or screw-fitting.

20. A hair dryer assembly according to Claim 14 wherein said  
10 substrate is selected from a group including ceramics and sponge.

21. A hair dryer assembly according to Claim 14 wherein said substrate is adapted to receive a scented medium.

22. A hair dryer assembly according to Claim 14 comprising  
15 said substrate.

23. A hair dryer assembly according to Claim 21 wherein said  
20 scented medium is evaporable when air heated by heating means of said hair dryer passes through said passageway.

24. A hair dryer assembly according to Claim 21 wherein said scented medium is an aromatic oil.